RM 122 **£330**

Slim fridge for old and new campervans

A compact classic that have stood the test of time: Dometic RM 122 absorption fridges are very popular with the owners of vintage campervans, such as VW split screen, bay window or VW T25. The predecessor models they are replacing have been installed millions of times over.

Just 380 mm wide, Dometic RM 122 is the smallest RV absorption refrigerators ever built worldwide. It will easily fit in the tight kitchenettes of most campervan conversions, old and new.

Note! The RM 122 piezo ignition model runs on 12 volts DC and is only available in the UK.

- Slim size – ideal for tight campervan kitchens
- Gas operation with Piezo ignition
- Door with magnetic seal and security latch
- Flexible arrangement of shelves
- Thermostatic control for gas operation

Door type	Single door
Capacity (l)	28
Height (mm)	585
Height (mm)	585
Depth (mm)	440
Weight (kg)	15
Energy consumption @amb temp 25°C (kWh/24h)	1.5
Energy consumption 12V @amb temp 25°C (Ah/24h)	1.3
Energy consumption 230V @amb temp 25°C (kWh/24h)	1.3
Energy consumption gas (g/24h)	140
Max input 12V (W)	75
Max input 230V (W)	75
Max input Gas (g/h)	8.6

RM 123 **£370**

Absorption fridge for the smallest of spaces

A compact classic that have stood the test of time: Dometic RM 123 absorption fridge is very popular with the owners of vintage campervans, such as VW split screen, bay window or VW T25. The predecessor models they are replacing have been installed millions of times over.

Just 380 mm wide, Dometic RM 123 are the smallest RV absorption refrigerators ever built worldwide. It will easily fit in the tight kitchenettes of most campervan conversions, old and new.

RM 123 copes with 12 volts DC, gas as well as mains power and comes with an electronic reignition device which automatically relights the flame if blown out.

Note! The RM 123 is only available in the UK.

- Super-compact outside dimensions
- Door with magnetic seal and security latch
- Flexible arrangement of shelves
- Thermostatic control for 230-volt and gas operation
- Electronic reigniter ignition

Door type	Single door
Height (mm)	585
Height (mm)	585
Depth (mm)	440
Weight (kg)	15
Energy consumption 12V @amb temp 25°C (Ah/24h)	1.3
Energy consumption gas (g/24h)	140
Max input 12V (W)	75
Max input 12V/230V (W)	75
Max input Gas (g/h)	8.6

RM 5310 £525

Single-door standard model with battery ignition

The new RM 5310 featuring contemporary looks and an illuminated interior in ice-blue. Cooling capacity: refrigerator +7°C, freezer compartment down to –12°C at ambient temperatures up to 32°C (corresponds to climate class SN).

RM 5310 features a separate freezer compartment, battery-powered ignition system and thermostat regulation in 230-volt and gas mode.

- Colour: grey
- LED interior light
- User-friendly control panel
- Flexible shelf system with practical door trays
- Door with magnetic seal
- Reversible door hinges
- Battery-powered ignition unit
- Thermostat regulation in 230-volt and gas mode
- Door lock with vent option
- Integrated gas galvanometer

Door type	Single door
Capacity (l)	60
Freezer volume (l)	5
Height (mm)	618
Height (mm)	618
Depth (mm)	474
Weight (kg)	20
Energy consumption 230V @amb temp 25°C (kWh/24h)	2,5
Energy consumption gas (g/24h)	270
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas (g/h)	18.3

RM 5330 £560

Single-door wheel-arch model with battery ignition

The new RM 5330 featuring contemporary looks and an illuminated interior in ice-blue. Cooling capacity: refrigerator +7°C, freezer compartment down to –12°C at ambient temperatures up to 32°C (corresponds to climate class SN).

RM 5330 features a separate freezer compartment, battery-powered ignition system and thermostat regulation in 230-volt and gas mode.

- Colour: grey
- LED interior light
- User-friendly control panel
- Flexible shelf system with practical door trays
- Door with magnetic seal
- Reversible door hinges
- Battery-powered ignition unit
- Thermostat regulation in 230-volt and gas mode
- Door lock with vent option
- Integrated gas galvanometer

Door type	Single door
Capacity (l)	70
Freezer volume (l)	5
Height (mm)	821
Height (mm)	821
Depth (mm)	474
Weight (kg)	22
Energy consumption 230V @amb temp 25°C (kWh/24h)	2,5
Energy consumption gas (g/24h)	270
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas (g/h)	18.3

RM 5380 £560

Single-door standard model with battery ignition

The new RM 5380 featuring contemporary looks and an illuminated interior in ice-blue. Cooling capacity: refrigerator +7°C, freezer compartment down to –12°C at ambient temperatures up to 32°C (corresponds to climate class SN). RM 5380 features a separate freezer compartment, battery-powered ignition system and thermostat regulation in 230-volt and gas mode.

- Colour: grey
- LED interior light
- User-friendly control panel
- Flexible shelf system with practical door trays
- Door with magnetic seal
- Reversible door hinges
- Battery-powered ignition unit
- Thermostat regulation in 230-volt and gas mode
- Door lock with vent option
- Integrated gas galvanometer

Door type	Single door
Capacity (l)	80
Freezer volume (l)	5
Height (mm)	821
Height (mm)	821
Depth (mm)	474
Weight (kg)	24
Energy consumption 230V @amb temp 25°C (kWh/24h)	2,5
Energy consumption gas (g/24h)	270
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas (g/h)	18.3

RM 8400 £700

8-series single door with Battery Piezo Ignition

New control panel. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	27.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RM 8401 £740

8-series single door with MES System

New control panel with integrated LED-display and electronic Operation Control System, which employs visual alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	27.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RM 8500 £705

8-series single door with Battery Piezo Ignition

New control panel. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	27.5
Max input 12V (W)	130
Max input 230V (W)	135
Max input Gas, oven (g/h)	18.3

RM 8501 £710

8-series single door with MES System

New control panel with integrated LED-display and electronic Operation Control System, which employs visual alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	27.5
Max input 12V (W)	130
Max input 230V (W)	135
Max input Gas, oven (g/h)	18.3

RM 8505 £915

8-series single door with AES System

New control panel with integrated LED-display and electronic Operation Control System, which employs visual and acoustic alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	27.5
Max input 12V (W)	130
Max input 230V (W)	135
Max input Gas, oven (g/h)	18.3

RM 8551 £940

8-series single door with MES System

New control panel with integrated LED-display and electronic Operation Control System, which employs visual alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	624
Weight (kg)	29.5
Max input 12V (W)	130
Max input 230V (W)	135
Max input Gas, oven (g/h)	18.3

RM8555 £985

Detachable freezer compartment!

The Dometic RM8555 RV refrigerator with automatic energy selector is loaded with features you are bound to love. The detachable freezer compartment is exclusive to Dometic and can be removed quickly to make room for more refrigerated food and reduce energy consumption. The elegant decor panel blends with the furniture, while the inside is illuminated with energy efficient LED lights.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	624
Weight (kg)	29.5
Max input 12V (W)	130
Max input 230V (W)	135
Max input Gas, oven (g/h)	18.3

RML 8551 £1055

8-series fridge, single door model

The Dometic Giant with manual energy selection. The huge storage space and the patented removable freezer compartment (RFC) give you more flexibility to go on extensive travels.

The freezer can be easily removed to transform the fridge into a cooling Giant. The big decor surfaces (BDS) and a modern design create the aesthetics of a high-quality household appliance and a homely atmosphere in every mobile home.

- Fingertip-opening (FTO)
- Flexible grid system (FGS)
- LED-illumination
- Automatic thermostat-control

Door type	Single door
Capacity (l)	146
Freezer volume (l)	33
Height (mm)	1245
Height (mm)	1245
Depth (mm)	626
Weight (kg)	45
Max input 12V (W)	170
Max input 230V (W)	190
Max input Gas (g/h)	22.5

RML 8555 £1105

The Dometic Giant with Automatic Energy Selector

The huge storage space and the patented removable freezer compartment (RFC) give you more flexibility to go on extensive travels. The freezer can be easily removed to transform the fridge into a cooling Giant.

Control panel with LED-display Operation control system (OCS) signals possible problems in the display. If the refrigerator door is not closed properly the visual signal is complemented by an acoustic signal Fingertip-opening (FTO) Flexible grid system (FGS) LED-illumination Electronic spark ignition Automatic thermostat-control The big decor surfaces (BDS) and a modern design create the aesthetics of a high-quality household appliance and a homely atmosphere in every mobile home

Door type	Single door
Capacity (l)	146
Freezer volume (l)	33
Height (mm)	1245
Height (mm)	1245
Depth (mm)	626
Weight (kg)	45
Max input 12V (W)	170
Max input 230V (W)	190
Max input Gas (g/h)	22.5

RMS 8400 £680

8-series single door with Battery Piezo Ignition

Wheel-arch model. New control panel. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	27.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RMS 8401 £725

8-series single door with MES system

Wheel-arch model. New control panel with integrated LED-display and electronic Operation Control System, which employs visual alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	27.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RMS 8500 £695

8-series single door with Battery Piezo Ignition

Wheel-arch model. New control panel. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving.

The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	26.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RMS 8501 £730

8-series single door with MES System

Wheel-arch model. New control panel with integrated LED-display and electronic Operation Control System, which employs visual alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	26.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RMS 8505 £960

8-series single door with AES System

Wheel-arch model. New control panel with integrated LED-display and electronic Operation Control System, which employs visual and acoustic alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	26.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RMS 8505 £960

8-series single door with AES System

Wheel-arch model. New control panel with integrated LED-display and electronic Operation Control System, which employs visual and acoustic alarm signals. Exchangeable door sealing, ergonomic door shelves with spill protection and modular shelving. The 8-Serie models consume up to 15% less 12 V energy when operating on gas.

- Removable freezer
- Innovative locking system with fingertip-opening
- Flexible and functional shelf-system
- Less energy consumption
- Less weight up to 10%

Door type	Single door
Height (mm)	821
Height (mm)	821
Depth (mm)	569
Weight (kg)	26.0
Max input 12V (W)	120
Max input 230V (W)	125
Max input Gas, oven (g/h)	18.3

RMD 8501 £1130

Two-door absorption fridge for 12 V, 230 V and gas - with MES

More capacity, less weight, same performance as for same-size 7-series double-door models due to new design, improved technology and materials.

RMD 8501 has separate doors for refrigerator and freezer compartment, finger tip opening and magnetic seal doors. Shelves can be flexible arranged featuring a new anti-slip, easy-clean surface and ergonomic door shelves with leakage protection.

Cooling performance is equivalent to climate class SN when installed according to our instructions.

- Perfect integration into the furniture: no control panel visible from the outside
- Innovative panel from the 8-series with LED display and button for frame heater
- MES version - Manual Energy Selector
- Replaceable door seals
- Door locking with vent option
- User-friendly integrated control panel
- LED interior light and indicator lights visible from outside
- Frameless decor panel as option

Door type	Double door
Capacity (l)	130
Freezer volume (l)	30
Height (mm)	1245
Height (mm)	1245
Depth (mm)	568
Weight (kg)	37.0
Energy consumption 12V @amb temp 25°C (Ah/24h)	3.2
Energy consumption 230V @amb temp 25°C (kWh/24h)	3.2
Energy consumption gas (g/24h)	380
Max input 12V (W)	170
Max input 230V (W)	190
Max input Gas (g/h)	22.5

RMD 8551 £1270

Two-door absorption fridge for 12 V, 230 V and gas - with MES

More capacity, less weight, same performance as for same-size 7-series double-door models due to new design, improved technology and materials.

RMD 8501 has separate doors for refrigerator and freezer compartment, finger tip opening and magnetic seal doors. Shelves can be flexible arranged featuring a new anti-slip, easy-clean surface and ergonomic door shelves with leakage protection.

Cooling performance is equivalent to climate class SN when installed according to our instructions.

- Perfect integration into the furniture: no control panel visible from the outside
- Innovative panel from the 8-series with LED display and button for frame heater
- MES version - Manual Energy Selector
- Replaceable door seals
- Door locking with vent option
- User-friendly integrated control panel
- LED interior light and indicator lights visible from outside
- Frameless decor panel as option

Door type	Double door
Capacity (l)	155
Freezer volume (l)	35
Height (mm)	1245
Height (mm)	1245
Depth (mm)	623
Weight (kg)	38.5
Energy consumption 12V @amb temp 25°C (Ah/24h)	3.2
Energy consumption 230V @amb temp 25°C (kWh/24h)	3.2
Energy consumption gas (g/24h)	380
Max input 12V (W)	170
Max input 230V (W)	190
Max input Gas (g/h)	22.5

RMD 8505 £1155

Two-door refrigerator with largest freezer compartment available

More capacity, less weight, same performance as for same-size 7-series double-door models due to new design, improved technology and materials.

RMD 8501 has separate doors for refrigerator and freezer compartment, finger tip opening and magnetic seal doors. Shelves can be flexible arranged featuring a new anti-slip, easy-clean surface and ergonomic door shelves with leakage protection.

Cooling performance is equivalent to climate class SN when installed according to our instructions.

- Perfect integration into the furniture: no control panel visible from the outside
- Innovative panel from the 8-series with LED display and button for frame heater
- AES version - Automatic Energy Selector
- Replaceable door seals
- Door locking with vent option
- User-friendly integrated control panel
- LED interior light and indicator lights visible from outside
- Frameless decor panel as option

Door type	Double door
Capacity (l)	130
Freezer volume (l)	30
Height (mm)	1245
Height (mm)	1245
Depth (mm)	568
Weight (kg)	37.0
Energy consumption 12V @amb temp 25°C (Ah/24h)	3.2
Energy consumption 230V @amb temp 25°C (kWh/24h)	3.2
Energy consumption gas (g/24h)	380
Max input 12V (W)	170
Max input 230V (W)	190
Max input Gas (g/h)	22.5

RMD 8555 £1200

Two-door refrigerator with largest freezer compartment available

More capacity, less weight, same performance as for same-size 7-series double-door models due to new design, improved technology and materials.

RMD 8501 has separate doors for refrigerator and freezer compartment, finger tip opening and magnetic seal doors. Shelves can be flexible arranged featuring a new anti-slip, easy-clean surface and ergonomic door shelves with leakage protection.

- Perfect integration into the furniture: no control panel visible from the outside
- Innovative panel from the 8-series with LED display and button for frame heater
- AES version - Automatic Energy Selector
- Replaceable door seals
- Door locking with vent option
- User-friendly integrated control panel
- LED interior light and indicator lights visible from outside
- Frameless decor panel as option

Door type	Double door
Capacity (l)	155
Freezer volume (l)	35
Height (mm)	1245
Height (mm)	1245
Depth (mm)	623
Weight (kg)	38.5
Energy consumption 12V @amb temp 25°C (Ah/24h)	3.2
Energy consumption 230V @amb temp 25°C (kWh/24h)	3.2
Energy consumption gas (g/24h)	380
Max input 12V (W)	170
Max input 230V (W)	190
Max input Gas (g/h)	22.5